# All India Council for Technical Education





Nelson Mandela Marg, Vasant Kunj, New Delhi-110070 Website: https://www.aicte-india.org

## **APPROVAL PROCESS 2021-22**

## **Application Deficiency Report**

\_

### **DEFICIENCY REPORT AS PER APPLIED INTAKE (Applicable for Existing Institutions only)**

Regional Office	North-West	Overall Deficiency of Institution:		Yes
Application ID	1-9317348172		Permanent ID	1-513868571
Name of the Institution	Panjab University		Address	Ucim (University Centre For Instrumentation And Microelectronics), Panjab University, Chandigarh.
City/Village	Chandigarh		District	Chandigarh
State	Chandigarh		PIN	160014

#### **Director/Principal Details**

Designation	Name	Appointment Type	Qualification	PhD	Eligible as per AICTE Norms (YES/NO)
Director/Principal	Ganga Ram Chaudhary	Regular	YES, YES,	Yes	Yes

Other D	Other Details			
Sr. No.	Particulars	Status Provided by the Institution	Deficiency	
1.	List of Faculty Member and Data Uploaded on the Institution Web Portal	Yes	No	
2.	Are all Approved Teaching Faculty Member being Paid as per Present Pay VI/Scale/Commission?	Yes	No	
3.	Whether Institution is Operating from Permanent Site?	Yes	No	
4.	Fees to be Charged, Reservation Policy, Admission Policy and Document Retention Policy are Uploaded in Institution's Website?	Yes	No	
5.	Courses/Approved Intake Displayed at the Entrance of the Institution?	Yes	No	

### **Anti-Ragging Related Deficiency Status**

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Constitution of Anti-Ragging Committee	Yes	No
2.	Constitution of Anti-Ragging Squad	Yes	No
3.	Undertaking Obtained from all Students	Yes	No
4.	Appointment of Counselors	Yes	No
5.	Undertaking Obtained from Parents of all the Students	Yes	No
6.	Undertaking Obtained from Students Staying in Hostel	Yes	No
7.	Undertaking Obtained from Parents of Students Staying in Hostel	Yes	No

#### **Institution Level Faculty Member**

Sr. No.	Particulars	Actual No.	Required No. as per CI	Deficiency
1.	Total Faculty(UG+PG+Diploma)	4	2	No

Adminis	Administrative Area				
Sr. No.	Particulars	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency	

Date of Signature(dd/mm/yyyy Seal of Institution Name & Signature of Director/Principal

Printed By: aic005036 Page 1 of 4

# **Application Deficiency Report**



Application Status: Application Sub-Status:

**EOA Recommended by Council** 

Report Generated on :-05/07/2021

1.	Board Room	70	20	No
2.	Department Offices/Cabin for Head of Dept	70	20	No
3.	Central Store	70	30	No
4.	Exam Control Office	180	30	No
5.	Housekeeping	70	10	No
6.	Maintenance	210	10	No
7.	Office All Inclusive	180	150	No
8.	Placement Office	0	30	Yes
9.	Principal Directors Office	180	30	No
10.	Security	30	10	No
TOTAL		1060.00	340.00	

Amenities Area				
Sr. No.	Particulars	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
1.	Boys Common Room	90	75	No
2.	Cafeteria	150	150	No
3.	First aid cum Sick Room	70	10	No
4.	Girls Common Room	90	75	No
5.	Stationery Store	30	10	No
TOTAL		430.00	320.00	

Computational Facilities				
Sr. No.	Particulars	Available	Required	Deficiency
1.	Printers	2	1	No
2.	A1 size Color Printers	0	0	No
3.	Number of PCs in Language lab	20	20	No
4.	Legal Application S/W	3	20	Yes
5.	Legal System S/W	3	3	No
6.	PCs to Student ratio	21	7	No

<u>Library Facilities</u>				
Sr. No.	Particulars	Available	Required	Deficiency
1.	Volumes	3044	200	No
2.	Titles	1333	550	No
3.	Journals	9	12	Yes
4.	Library Management Software	1	1	No
5.	Reading Room Seating Capacity	20	7	No
6.	MultiMediaPC	10	10	No
		·	2	

Instruct	Instructional Area-Common Facilities					
Sr. No.	Particulars	Available	Required	Deficiency		
1.	Computer Center	150	150	No		

Date of Signature(dd/mm/yyyy

Seal of Institution

Name & Signature of Director/Principal

Printed By : aic005036

# **Application Deficiency Report**



Application Status: EOA Recommended by Council

Application Sub-Status:

Report Generated on :-05/07/2021

2.	Library & Reading Room	450	400	No
3.	Language Laboratory	200	33	No
TOTAL		800.00	583.00	

Land Area Details					
Sr. No.	Particulars	Available	Required	Deficiency	
1.	Total Area of Land	2.2	2.5	Yes	
2.	Maximum number of Pieces	1	3	No	

Existing Programme / ENGINEERING AND TECHNOLOGY					
Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	PG	1200	66	No
2.	Seminar Hall	UG/PG	600	132	No
3.	Additional Workshop	UG/PG	0	0	No
4.	Drawing Hall	UG/PG	0	132	Yes
5.	Workshop	UG/PG	2000	200	No
6.	Laboratory	PG	900	132	No
TOTAL			4700.00	662.00	

Other Facilities				
Sr. No.	Particulars	Availability	Deficiency	
1.	All Weather Approach(Motorised Road)	Yes	No	
2.	Safety Provisions	Yes	No	
3.	Sewage Disposal System	Yes	No	
4.	Telephone	Yes	No	
5.	Vehicle Parking	Yes	No	
6.	First Aid	Yes	No	
7.	Appointment of Student Counselor	Yes	No	
8.	Establishment of Anti-Ragging Committee	Yes	No	
9.	Establishment of Committee for SC/ST	Yes	No	
10.	Establishment of Internal Complaint Committee(ICC)	Yes	No	
11.	Establishment of Grievance Redressal Committee/OMBUDSMAN	Yes	No	
12.	Barrier free Enviroment	Yes	No	
13.	AICTE Approval Letters- EoA/LoA	Yes	No	
14.	Institution-Industry Cell	Yes	No	
15.	Digital Payment-Financial Transactions	Yes	No	
16.	Food Safety and Standards	Yes	No	
17.	Insurance for Students	Yes	No	
18.	Applied membership-National Digital Library	No	Yes	
19.	Online Grievance Rederssal Mechanism	Yes	No	
20.	Internal Quality Assurance Cell	Yes	No	
21.	Fire and Safety Certificate	Yes	No	

Date of Signature(dd/mm/yyyy Seal of Institution Name & Signature of Director/Principal

Printed By: aic005036 Page 3 of 4

### **Application Deficiency Report**



**Application Status:** 

**EOA Recommended by Council** 

Report Generated on :-05/07/2021

**Application Sub-Status:** 

	· · · · · · · · · · · · · · · · · · ·		
22.	Atleast 5 MoUs with industries	Yes	No
23.	Display of info submitted to AICTE on website	Yes	No
24.	General Insurance	Yes	No
25.	Backup Electric Supply	Yes	No
26.	Group accident policy for employees	Yes	No
27.	Implementation of student Induction Programme	No	Yes
28.	Waste Management and a sustainable Green Campus	No	Yes
29.	Display of Course(s) and Approved In entrance	Yes	No
30.	Institution Web Site-Mandatory Disclosure	Yes	No
31.	Medical & Counseling	Yes	No
32.	Notice Boards	Yes	No
33.	Potable Water Supply	Yes	No

#### **DECLARATION**

#### BY THE AUTHORIZED SIGNATORY OF THE INSTITUTION/DEPARTMENT

I, as the Head of the Institution, hereby declare that:

- a) I have carefully gone through the AICTE Regulations 2021, published in the Gazette of India Extraordinary Part III, Section- 4 dated 04th February, 2021, also all provisions mentioned in the Approval Process Handbook 2021-22.
- b) I am fully aware of the data uploaded by me in respect of my Institution on the web portal.
- c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once submitted on the web portal.
- d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women Institution into Co-ed Institution and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Handbook 2021-22.
- e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my Institution on the web portal.
- f) I am also aware that Institution is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2021-22), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Handbook 2021-22.

Signature of Authorized Signatory

Name: